


Mapped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, USCE, and Florida Geodetic Survey  
Planimetry by photogrammetric methods from aerial photographs  
taken 1957 and 1958. Topography by planimetric surveys 1965  
Selected hydrographic data compiled from USC&GS Chart 688 (1964)  
This information is not intended for navigational purposes  
Polyconic projection  
10,000-foot grid based on Florida coordinate system, east zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue. 1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 26 meters south and  
19 meters west as shown by dashed corner ticks  
Red tint indicates areas in which only landmark buildings are shown



SCALE 1:24 000  
CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS LESS THAN 1 FOOT  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS AND HISTORICAL  
MAP ARCHIVES  
MAR 14 1996  
REC'D FILE COPY

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
Interstate Route ——— U.S. Route ——— State Route ———

QUADRANGLE LOCATION  
SANFORD, FLA.  
28081-G3-TF-024  
1965  
PHOTOREVISED 1988  
DMA 4741 IV SE—SERIES V847

