




CONVERSION  
SCALES




Feet | Meters  
1 3048  
2 6096  
3 9144  
4 12192  
5 15240  
6 18288  
7 21336  
8 24384  
9 27432  
10 30480

To convert feet to meters multiply by 3048  
To convert meters to feet multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide



Mapped, edited, and published by the Geological Survey and the National Ocean Survey  
Control by USGS and NOS/NOAA  
Orthophotomap prepared by the Geological Survey from aerial photograph taken April 18, 1974. Topography by planimetric surveys 1957. Topography in overhang by the National Ocean Survey by planimetric surveys 1954. Revised by USGS from aerial photographs taken 1974. Field checked 1975. Map edited 1975. Supersedes topographic map dated 1957.  
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys.  
Soundings compiled from NOS 11511.  
This information is not intended for navigational purposes.  
Mean low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated aerial photographs.  
Apparent shoreline (outer edge of vegetation) shown by photomastery.  
Projection and 10,000-foot grid ticks: Georgia coordinate system, east zone (transverse Mercator)  
1000-meter Universal Transverse Mercator grid, zone 17  
1927 North American datum  
To place on the predicted North American Datum 1983 move the projection lines 18 meters south and 17 meters west as shown by dashed corner ticks.  
There may be private inholdings within the boundaries of the National and State reservations shown on this map.



CONTOUR INTERVAL 1.5 METERS  
NATIONAL GEODEIC VERTICAL DATUM OF 1929  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS-SOUNDINGS IN METERS  
DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.2 METERS

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS  
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY  
FOR SALE BY THE GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS AVAILABLE ON REQUEST



HYDROGRAPHIC SURVEY INFORMATION

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-4472	1925	1:20,000	05-25
H-4475	1926	1:20,000	05-11
H-5527	1934	1:10,000	02-04
H-5598	1934	1:10,000	05-08
H-5598	1934	1:10,000	01-10
H-5598	1934	1:10,000	02-04
H-9461	1974	1:20,000	07-13

ROAD CLASSIFICATION  
Primary highway, hard surface — Light-duty road, hard or improved surface  
Secondary highway, hard surface — Unimproved road  
Trails —  
Interstate Route U.S. Route State Route

RACCOON KEY, GA.  
N3145-W8100/7.5  
1979  
DMA 4747 I SE-SERIES V8450

USGS  
Historical File  
Topographic Division

APR 16 1990

3217