





Produced by the United States Geological Survey Topography compiled 1968. Planimetry derived from imagery taken 1999 and other sources. Public Land Survey System and survey control current as of 1969. Boundaries current as of 2002. Selected hydrographic data in Rainy Lake compiled from U.S. Lake Survey Chart 824 (1965). This information is not intended for navigational purposes. Depth curves in Kabetogama Lake and Locater Lake compiled from charts furnished by Minnesota Department of Conservation. North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 15 10 000-foot ticks: Minnesota Coordinate System of 1983 (north zone). North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software. There may be private inholdings within the boundaries of the National or State reservations shown on this map. Houses of worship, schools, and other labeled buildings verified 1969.



CONTOUR INTERVAL 10 FEET SUPPLEMENTARY CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 (TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, ADD 1 FOOT) DEPTH CURVES AND SOUNDINGS IN FEET - DATUM FOR RAINY LAKE IS 1102 FEET TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION Primary highway hard surface Light-duty road, hard or improved surface Secondary highway hard surface Unimproved road Interstate Route U.S. Route State Route

ADJOINING 7.5' QUADRANGLES table with 8 columns and 2 rows of numbers.

CRANBERRY BAY, MN-ON 1999 NIMA 7381 II SE-SERIES V872



RECEIVED MAY 27 2003 HISTORICAL MAP ARCHIVES APR 01 2003