




Mapped by NOS/NOAA
Edited and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs taken 1949. Field checked 1952.
Hydrography compiled from NOS/NOAA chart 18424(1983) and surveys H-1(1889) and H-2079(1889-91)
Polyconic projection. 1927 North American Datum 10,000-foot grid based on Washington coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 6 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



LUMMI BAY, WASH.
48122-G6-TF-024
PHOTOINSPECTED 1978
1952
PHOTOREVISED 1972
DMA 1481 I SW-SERIES V891



Map photoinspected 1978
No major culture or drainage changes observed

There may be private inholdings within the boundaries of the National or State reservations shown on this map