



Mapped, edited, and published by the Geological Survey  
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1957. Field checked 1959

Selected hydrographic data in Lake Superior compiled from U.S. Lake Survey Chart 97 (1958). This information is not intended for navigational purposes

Depth curves in other lakes compiled from charts furnished by Minnesota Department of Conservation

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Minnesota coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue

UTM GRID AND 1959 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

SCALE 1:24,000  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM FOR LAKE SUPERIOR IS LOW WATER 601.6 FEET

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Unimproved dirt - - - - - U.S. Route

QUADRANGLE LOCATION

LUTSEN, MINN.  
N4737.5-W9037.5/7.5  
1959  
AMS 7879 II NW-SERIES V872

USGS LIBRARY - RESTON  
3 1818 00418045 9

OCT 03 2003